

บทที่ 7

เอกสารอ้างอิง

- กระทรวงเกษตรและสหกรณ์. 2551. การจัดการความปลอดภัยอาหารสำหรับ SME โดยระบบ Pre-ACCP, ม.ป.ท. 86 น.
- คม สุคนธ์สรรพ และกานแก้ว สุคนธ์สรรพ. 2548. แมลงวันที่มีความสำคัญทางการแพทย์. ภาควิชาปรสิตวิทยา คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 131 น.
- จักรวาล ชมพูศรี. 2553. ชีววิทยาและการควบคุมแมลงที่เป็นปัญหาสาธารณสุข. สถาบันวิจัยวิทยาศาสตร์สาธารณสุข กรมวิทยาศาสตร์การแพทย์, กรุงเทพฯ. 154 น.
- ทวี หอมขง. 2543. แมลงศัตรูสำคัญของคนและสัตว์. ชมรมเด็ก, กรุงเทพฯ. 163 น.
- ทิพย์วดี อรรถธรรม. 2535. โรควิทยาของแมลง. ภาควิชากีฏวิทยา คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ. 205 น.
- มลิวัดย์ ปันยารชุน. 2539. การควบคุมแมลงศัตรูพืชโดยชีววิธีเพื่อการเกษตรยั่งยืน. กองกีฏและสัตววิทยา กรมวิชาการเกษตร กระทรวงเกษตรและสหกรณ์, กรุงเทพฯ. 222 น.
- มาลี ตั้งระเปียบ. 2551. เชื้อรากำจัดแมลง. สถาบันวิจัยและฝึกอบรมเกษตรลุ่มน้ำ มหาวิทยาลัยเทคโนโลยีราชมงคลล้านนา, ลำปาง. 23 น.
- _____ และกรกฎ งานวงศ์พาณิชย์. 2552. ผลของเชื้อรา *Metarhizium anisopliae* ต่อเห็บโค (*Boophilus microplus*). เชียงใหม่สัตวแพทยสาร 7 (1): 7-17.
- ศิริพงษ์ พลศิริ. 2554. สัตว์นำโรค (Vector). [On-line]: Available: <http://www.dld.go.th/nst/wdocument/vector.doc>, 12 มกราคม 2554.
- ศิริพร ยงชัยตระกูล. 2541. ศึกษาประสิทธิภาพการใช้เชื้อรา *Metarhizium* sp ในการป้องกันกำจัดแมลงวันบ้าน (*Musca domestica* L.). วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเกษตรศาสตร์ บางเขน, กรุงเทพฯ. 64 น.
- สมคิด ดิสถาพร. 2543. เชื้อจุลินทรีย์ควบคุมศัตรูพืช. กองกีฏและสัตววิทยา กรมวิชาการเกษตร, กรุงเทพฯ. 286 น.
- Abbott, W.S. 1925. A Method of computing the effectiveness of an insecticide. Journal Economic of Entomology 18: 265-276.

- Achonduh, O.A and Tondje, P.R. 2008. First report of pathogenicity of *Beauveria bassiana* RBL1034 to the malaria vector, *Anopheles gambiae* S.I. (Diptera: Culicidae) in Cameroon. *African Journal of Biotechnology* 7 (8): 931-935.
- Amora, S.S.A., Bevilaqua, C.M.L., Feijo, F.M.C., Pereira, R.H., Alves, N.D., Freire, F.A.M., Kamimura, M.T., Oliveira, D.M., Lima, E.A.L.A and Rocha, M.F.G. 2010. The Effect of the fungus *Metarhizium anisopliae* var. *acridium* on different stages of *Lutzomyia longipalpis* (Diptera: Psychodidae). *Acta Tropica* 113 (3): 214-220.
- Anonymous. 2010a. Biology of fly. [On-line]. Available : <http://www.acenvironment.com>, June 13, 2010.
- _____. 2010b. Blow fly. [On-line]. Available: <http://www.ipmudom.com>., June 18, 2010.
- _____. 2010c. Blow fly *Chrysomya megacephala* (Fabricius). [On-line]. Available : <http://www.sblsupply.com/knowledge/fly5.php>, June 18, 2010.
- _____. 2010d. Life cycle of fly. [On-line]. Available. : <http://www.xnet.rrc.mb.ca/davidentomology.htm>. June 1, 2010.
- Barson, G., Renn G. and Bywater, A.F. 1994. Laboratory evaluation of six species of entomopathogenic fungi for the control of the house fly (*Musca domestica* L.). A pest of intensive animal units. *Journal of Invertebrate Pathology* 64 (2): 107-113.
- Boonsriwong, W. 2009. Ulstructural study on the alimentary system of the blow Fly, *Chrysomya megacephala* (F.). Dissertation of Doctor of Philosophy. Chiang Mai University. 94 p.
- Boucias, D. and Pendland, J.C. 1988. Principles of Insect Pathology. Norwell, Massachusetts. 537 p.
- Cabral, M.M., Mendonca, P.M., Gomes C.M., Barbosa-Filho, J.M., Silva, C.D., Soares, M.J. and Queiroz, M.M. 2007. Biological activity of Yangambin on the postembryonic development of *Chrysomya megacephala* (Diptera: Calliphoridae). *Journal of Medical Entomology* 44 (2): 249-255.

- Carswell, I., Hart, R.S and Milner, J.M. 2007. Laboratory susceptibility of *Musca domestica* L. (Diptera: Muscidae) and *Bactrocera Tryoni* (Frogatt) (Diptera: Tephritidae) to an Isolate of *Metarhizium anisopliae* (Metsch) Sorokin. *Austrian Journal of Entomology* 373: 281-284.
- Carvalho, A.R., Mello, A.P. and Almeida, J.M.D. 2003. Microhimenopteran parasitoids of *Chrysomya megacephala* found in Brazil. *Revista De Saude Publica* 37 (6): 810-812.
- Costa, J.H., Alves, L.F.A. and Daros, A.A. 2010. Safety of *Beauveria bassiana* (Bals.) Vuill. to *Gallus domesticus* L. *Brazilian Archives of Biology and Technology* 53 (2): 465-471.
- Daengharn, P.B. and Naksuwan, M. 1998. A Comparison of the effectiveness of baits used in fly trap. *Communicable Disease Journal* 24: 203-208.
- Daniel, C. and Wyss, E. 2010. Field applications of *Beauveria bassiana* to control the european cherry fruit fly *Rhagoletis cerasi*. *Journal of Applied Entomology* 134 (9): 675-681.
- Darvidson, G. and Chandler, D. 2005. Laboratory evaluation of entomopathogenic fungi against larvae and adults of onion maggot (Diptera: Anthomyiidae). *Journal of Economic Entomology* 98 (6): 1848-1855.
- Darwish, E. and Zayed, A. 2002. Pathogenicity of two entomopathogenic hyphomycetes, *Beauveria bassiana* and *Metarhizium anisopliae* to the house fly *Musca domestica*. *Journal of the Egyptian Society of Parasitology* 32 (3): 786-796.
- Ekesi, S. 1999. Selection of virulent isolate of entomopathogenic fungi hyphomyces against *Clavigralla tomentosicollis* and evaluation in cage experiment using three cowpea varieties. *Mycopathologia* 148 (3): 131-139.
- Fetter-Lasko, J.L. and Washino, R.K. 1983. In situ studies on seasonality and recycling pattern in California of *Coelomomyces giganteum* Couch, an aquatic fungal pathogen of mosquitoes. *Environmental Entomology* 12: 635-640.
- Finney, D.T. 1971. Probit analysis. 3rd ed. Cambridge University Press, London, U.K. 318 p.

- Gabre, M., Fatma, K. and Adham, H.C. 2005. Life table of *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae). *Acta Oecologica* 27: 179-183.
- Geden, C.J., Rutz, D.A. and Steinkraus, S.A. 1995. Viluence of different isolates and formulations of *Beauveria bassiana* for house fly and the parasitoid *Muscidifurax rapter*. *Biological Control* 5 (4): 615-621.
- Greenberg, B. 1971. Flies and Disease Vol. 1 Ecology, classification and biotic associations. Princeton University Press, New York. 856 p.
- _____. 1973. Flies and Disease Vol.II: Biological and Disease Transmission. Princeton (NJ): Princeton University Press, New York. 221 p.
- Gullan, P.J. and Cranston, P.S. 2004. The Insects: An Outline of Entomology. 3rd ed. Backwell publishing, Victoria, U.K. 588 p.
- Gutierrez, L.R., Luz, T.L., Ochoa, M.J., Dominguez, R.O, Edwards, L.M. and Aluja, M. 2000. Virulence of *Metarhizium anisopliae* (Deuteromycotina: Hyphomycetes) on *Anastrepha ludens* (Diptera: Tephritidae): Laboratory and field trials. *Journal of Economic Entomology* 93 (4): 1080-1084.
- Ken, W. 2005. Oriental Latrine Fly (*Chrysomya megacephala*) pest and diseases image library. [On-line:]: Available: <http://www.padil.gov.au>, September 12, 2010.
- Kogler, M. and Stein, E. 1976. Gewachshausversuche mit *Metarhizium anisopliae* (Metsch) Sorok: Zur infection von *Sitona kineatus* L. Im Bodem Pflanzenschutz-berichte 83: 96-108.
- Kumarasinghe, S.P., Karunaweera, N.D. and Ihalamulla, R.L. 2000. A Study of Cutaneous Myiasis in Sri Lanka. *International Journal of Dermatology*. 39: 689-694.
- _____, Arambewela, L.S. and Dissanayake, R.D. 2002. Larvicidal effect of Mineral Turpentine, low aromatic White Spirits, aquerous extract of *Cassia alata* aqueous extract, ethanolic extracts and essential oil betal leaf (piper betle) on *Chrysomya megacephala* International. *Journal of Dermatology* 41 (12): 877-880.
- Larry, P. and Marlin, E. 2009. Entomology and Pest Management. Upper Saddle River, New Jersey Columbus, Ohio. 784 p.

- Latch, G.C.M. and Falloon, R.E. 1976. Study on the Use of *Metarhizium anisopliae* to Control *Oryctes rhinoceros*. *Entomophaga* 21 (1): 39-48.
- Lecuona, R.E., Turica, M., Tarocco, F. and Crespo, D.C. 2005. Microbial control of *Musca domestica* (Diptera: Muscidae) with selected strain of *Beauveria bassiana*. *Journal of Medical Entomology* 42 (3): 332-336.
- Leger, R.J., Charnley, A.K. and Cooper, R.M. 1986. Cuticle-degrading enzymes of entomopathogenic fungi: synthesis in culture on cuticle. *Journal of Invertebrate Pathology* 48 (1): 85-95.
- Leles, R.N., Souza, N.A., Rocha, L.F.M., Silva, A.H.S.G. and Luz, C. 2010. Pathogenicity of some hypocrealean to adult *Aedes aegypti* (Diptera: Culicidae). *Parasitology Research* 107: 1271-1274.
- Letthamnongtham, S., Sukontason, K.L., Piangjai, S., Choochote, W., Vogstberger, R.C. and Olson, J.K. 2003. Seasonal fluctuations in populations of the two most forensically important fly species in Northern Thailand. *Annals of Tropical Medicine and Parasitology* 97 (1): 87-91.
- Linhares, A.H. and Avancini, R.P.M. 1989. Ovarian Development in the blow flies *Chrysomya putoria* and *Chrysomya megacephala* on natural diets. *Medical and Veterinary Entomology* 3 (3): 293-295.
- Loc, N. and Chi, T.B. 2007. Biocontrol potential of *Metarhizium anisopliae* and *Beauveria bassiana* against diamondback moth, *Plutella xylostella*. *Omonrice* 15: 86-93.
- Lohmeyer, K.H. and Miller, J.A. 2006. Pathogenic of three formulation of entomopathogenic fungi for control of adult *Haematobia irritans* (Diptera; Muscidae). *Biological and Microbial Control* 99 (6): 1943-1947.
- Madelin, M.F., Robinson, R.F. and Williams, R.S. 1967. Apressorium like structures in insect parasitizing deuteromyces. *Journal of Invertebrate Pathology* 9: 404-412.
- Maipanich, M., Nguankiate, S.S., Pubampen, S., Kusolsuk, T. and Iekka, A. 2010. Intestinal parasites isolated from house flies in the tourist attraction areas in Thailand. *Journal of Tropical Medicine Parasitology* 33: 17-28.

- Maldonado, M.A. and Centeno, N. 2003. Quantifying the potencial pathogen transmission of the Blow flies (Diptera: Calliphoridae). *Memorias do Instituto Oswaldo Cruz Ministerio da Saude* 98 (2): 213-216.
- Marchiori, G. 2004. Parasitoids of *Chrysomya megacephala* (Fabricius) collected in Itumbiara, Goias, Brazil. *Revista de Saude Publica* 38: 323-325.
- Migro, L.N., Maniania, N.K., Chabi-Olaye, A. and Vandenberg, J. 2010. Pathogenicity of entomopathogenic fungi *Metarhizium anisopliae* and *Beauveria bassiana* (Hypocreales: Clavicipitaceae) isolate to the adult pea leafminer (Diptera: Agromyzidae) and prospects of an autoinoculation device for infection in the field. *Environmental Entomology* 39 (2): 468-475.
- Mikuni, T., Kawkami, K. and Nakayama, M. 1982. Survival of the entomopathogenous fungus *Metarhizium anisopliae* causing muscardine disease of the silkworm, *Bombyx mori* in soil of Mulberry plantations. *Journal of Sericultural Science of Japan* 51: 325-331.
- Milner, R.J. and Lutton, G.G. 1976. *Metarhizium anisopliae* survival of conidia in the soil. pp. 428-429. In: *Proceedings of the 1 st International Colloquium on Invertebrate Pathology*, Melbourne.
- _____, Samson, P. and Morton, R. 2003. Persistence of conidia of *Metarhizium anisopliae* in sugarcane field: Effect of isolate and formulation on persistence over 3.5 year. *Biocontrol Science and Technology* 13(5): 507-516.
- Mishara, M. and Kurahashi, H. 1991. Base-line susceptibility of the oriental latrine fly, *Chrysomya megacephala* (Diptera: Calliphoridae) to five Insecticides. *Medical and Veterinary Entomology* 5 (1): 51-54.
- Mishra, S., Kumar, P., Malik, A. and Satya, S. 2011. Adulticidal and larvicide activity of *Beauveria bassiana* and *Metarhizium anisopliae* against house fly, *Musca domestica* (Diptera: Muscidae) in laboratory and simulation field bioassays. *Parasitology Research* 108 (6): 1483-1492.

- Mochi, D.A., Monteiro, A.C., Machdo, A.C.I. and Yoshida, L. 2010a. Efficiency of entomopathogenic fungi in the control of egg and larvae of the horn fly *Haematobia irritans* (Diptera: Muscidae). *Veterinary Parasitology* 167 (1): 62-66.
- _____, 2010b. Entomopathogenic fungal activity against and adult *Haematobia irritans* (Diptera: Muscidae). *Veterinary Parasitology* 26 (168): 105-110.
- Monzon, R.B., Sanechez, A.R., Tadiaman, B.M., Najos, O.A., Valencia, E.G., De Rueda, R.R. and Ventura, J.V. 1991. A Comparison of the role of *Musca domestica* (L.) and *Chrysomya megacephala* (F.) as mechanical vector of helminthic parasites in a slum area of metropolitan Manila. *The Southeast Asian Journal of Tropical Medicine and Public Health* 22 (2): 222-228.
- Moraes, A.P., Angelo Ida, C., Fernandes, E.K., Bittencourt, V.R. and Bittencourt, A.J. 2008. Virulence of *Metarhizium anisopliae* to egg and immature stage of *Stomoxys calcitrans*. *Annals of the New York, Academy of Sciences* 1149 : 384-387.
- Mwamburi, L.A., Laing, M.D. and Milner, R.M. 2010. Laboratory screening of insecticide activities of *Beauveria bassiana* and *Paecilomyces lilacinus* against larvae and adult housefly (*Musca domestica* L.). *African Entomology* 18 (1): 34-36.
- Mythili, P., Gomathinayagam, S., Dhinakarraj and Lalitha, J. 2007. Biological control of larvae of *Chrysomya megacephala* by entomopathogenic fungus *Beauveria bassiana*. *Journal of Veterinary Parasitology* 21 (2): 187-188.
- Nogueira, N.D.R., Mello, R.P., Kato, M.J. and Cabral, M.M.O. 2009. Disruption of *Chrysomya megacephala* growth cause by *Lignan Grandisin*. *Journal of Medical Entomology* 46 (2): 281-283.
- Nong, X., Liu, C., Lu, Z., Wang, G. and Zhang, Z. 2011. Laboratory evaluation of entomopathogenic fungi against the white grubs, *Holotrichia oblita* and *Anomala corpulenta* (Coleoptera: Scarabaeidae) from the field of peanut, *Arachis hypogaea*. *Biocontrol Science and Technology* 21 (5): 593-603.

- Nouin, B., Jongjaidee, S., Dummin, T., Tanomtong, A. and Buranarom, K. 2000. Preliminary study on efficiency of several fly traps. *Commun dis intell Journal* 26: 354-358.
- Oliveira, V.C., Mello, R.P. and Almeida, J.M. 2002. Muscoid dipterans as helminth eggs mechanical vector at the zoological garden Brazil. *Revista de Saude Publica* 36: 614-620.
- Rajesh, A. and Tiwary, T.B.N. 2009. Pathogenic of entomopathogenic fungi to egg and larvae of *Spodoptera litura*, the common cutworm. *Biocontrol Sciences and Technology* 19 (9): 919-929.
- Rath, A. C. 1992. *Metarhizium anisopliae* for control of the tasmanian pasture scarab *Adoryphorus couloni*. pp. 217-228. In: Jackson, T. A and T.R. Glare. Use of Pathogens in Scarab Pest Management, Andover, U.K.
- Reigada, C. and Godoy, W.A.C. 2006. Larvae density, Temperature and Biological aspects of *Chrysomya megacephala* (Diptera: Calliphoridae). *Arquivo Brasileiro de Medicina Veterinariae Zootecnia* 58 (4): 562-566.
- Renn, N., Bywater, A.F. and Barson, G. 1999. A bait formulated with *Metarhizium anisopliae* for the control of *Musca domestica* L. (Diptera: Muscidae) assessed in large-scale laboratory conclousures. *Journal of Applied Entomology* 123 (5): 309-314.
- Rizzo, D.C. 1977. Age of three dipteran hosts as a fastor governing thr pathogenicity of *Beauveria bassiana* and *Metarhizium anisopliae*. *Journal Invertebrate Pathology* 30: 127-130.
- Robert, D., Andrew, S., Simon, B., Krijn, P., Paajmans, P. and Thomas, B. 2011. Comparitive growth kinetics and virulence in four different isolate of entomopathogenic fungi in the house fly (*Musca domestica*). *Journal of Invertebrate Pathology* 107: 179-184.
- Roberto, E., Turica, M., Tarocco, F. and Crespo, C.D. 2005. Microbial control of *Musca domestica* (Diptera: Muscidae) with selected strain of *Beauveria bassiana*. *Journal of Medical Entomology* 42 (3): 332-336.

- Roberts, D.W. 1970. Infection process of fungi. pp. 315–319. *In* 14th International Congress of Parasitology Entomology. Abstract (pathology) Kyoto, Japan. 3-9 August. Boyce Thompson Institute, New York.
- Rueda, L.M., Roh, P.U. and Ryu, J.L. 1997. Pupal parasitoids (Hymenoptera: Pteromalidae) of filth flies (Diptera: Muscidae, Calliphoridae) breeding in refuse and poultry and livestock manure in South Korea. *Journal of Medical Entomology* 34 (1): 82-85.
- Sahagun, S.C.A., Gutierrez, R.L., Ochoa, J.M., Velasco, E.G., Edwards, M.L., Dominguez, O.R., Vazquez, C.C., Velazquez, W.P.R., Skoda, S.R. and Foster, J.E. 2005. Susceptibility of biological stage of the horn fly, *Haematobium irritans*, to entomopathogenic fungi (Hyphomycetes). *Journal of Insect Science* 5 (50): 325-344.
- Shariffard, M., Mossadegh, M., Vazirianzadeh, B. and Mahmousabadi, A.Z. 2011. Laboratory evaluation of pathogenicity of entomopathogenic fungi, *Beauveria bassiana*. (Bals.) Vuill. and *Metarhizium anisopliae* (Metch.) Sorok. to larvae and adults of the house fly, *Musca domestica* L. (Diptera: Muscidae). *Asian Journal of Biological Sciences* 4 (2): 128-137.
- Siri, A., Scorsetti, C., Dikgolz, V.E. and López Lastra, C.C. 2004. Natural infections caused by the fungus *Beauveria bassiana* as a pathogen of *Musca domestica* in the Neotropic. *Biocontrol* 50 (6): 937-940.
- Siriwattananarungsee, S., Sukontason, K.L., Olson, J.K., Chailapakul, O., Sukontason, K. 2005. Effect of neem extract against the blow fly and house fly. *Parasitology Research* 130 (3): 535-544.
- Spradbery, J.P. and Sands, D.P.A. 1976. Reproductive system and terminalia of the old world Screw-Worm fly, *Chrysomya bezzana* Villenuvi (Diptera: Calliphoridae). *International Journal of Insect Morphology and Embryology* 5 (6): 409-421.
- Steel, R.G.D and Torrie, J.H. 1980. Principles and Procedures of Statistics: A Biometrical Approach. 2nd ed. McGraw-Hill Inc., New York. 216 p.

- Steenberg, T. and Humber, R.A. 1999. Entomopathogenic potential of *Verticillium* and *Acremonium* species (Deuteromycotina: Hyphomycetes). *Journal of Invertebrate Pathology* 73 (3): 309-314.
- Sucharit, S., Tumrasvin, W.S. and Vutikes, S. 1976. A Survey on house flies in Bangkok and neighboring provinces. *The Southeast Asian Journal of Tropical Medicine and Public Health* 7 (1): 85-90.
- Sukontason, K.L., Sukontason, K., Piangjai, J., Tippanun, S., Lertthamngtham, R., Vogstberger, C. and Olson, K.J. 2002. Survey of forensically-relevant fly species in Chaing Mai, Northern Thailand. *Journal of Vector Ecology* 28 (2): 135-138.
- _____, Sukontason, K., Piangjai, S., Boonchu, N., Chaiwong, T., Vogtsberger, C., Kuntalue, B., Thijuk, N. and Olson, J.K. 2003. Larval morphology of *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae) using scanning electron microscopy. *Journal of Vector Ecology* 28: 47-52.
- _____, Sukontason, K., Ngern-Klun, R., Sripakdee, R. and Piangjai, S. 2004a. Differentiation of the third instar of forensically important fly species in Thailand. *Annals of the Entomological Society of America* 97 (6): 1069-1075.
- _____, Boonchu, N., Sukontason, K., Choochote, W. 2004b. Effect of eucalyptol on house fly (Diptera: Muscidae) and blow fly (Diptera: Calliphoridae). *Revista du Instituto Medicina Tropical de Sao Paulo* 46 (2): 97-101.
- _____, Bunchoo, M., Khantawa, B., Piangjai, S., Rongsriyam, Y. and Sukontason, K. 2007. Comparison between *Musca domestica* and *Chrysomya megacephala* as carries of bacteria in Northern Thailand. *The Southeast Asian Journal of Tropical Medicine and Public Health* 38 (1): 38-44.
- Sulaiman, S., Sohadi, A.R., Yanus, H. and Iberahim, H.R. 1988. The role of some cyclorrhphan flies as carriers of human helminthes in Malaysia. *Medical and Veterinary Entomology* 2 (1): 1-6.

- _____, Omar, B., Jeffery, J., Ghuath, I and Busparani, V. 1990. Survey of microhymenoptera (Hymenoptera: Chalcidoidea) parasitizing filth flies (Diptera: Muscidae, Calliphoridae) breeding in refuse and poultry farms in peninsular Malaysia. *Journal of Medical Entomology* 27 (5): 851-855.
- Souza, E.J., Reis, R.C.S. and Bitencourt, V.R.E. 1999. Evaluation of in vitro effect of the fungi *Beauveria bassiana* and *Metarhizium anisopliae* on egg and larvae of *Amblyomma cajennense*. *Brazilian Journal of Veterinary Parasitology* 8 (2): 127-131.
- Theunis, W. 1997. Pacific regional agricultural programme: Agricultural information service South Pacific Commission. Private Malibag Suva, Fiji 14: 186-220.
- Toledo, J., Liedo, P., Flores, S., Campos, S.E., Villasenor, A.E. and Montoya, P. 2006. Use of *Beauveria bassiana* and *Metarhizium anisopliae* for Fruit Fly Control: A Novel Approach. Salvador, Brazil. 312 p.
- Toriello, C., Perez-Torres, A., Burciaga Diaz, A., Navarro, H., Perez Mejia, A., Jimenez, M. and Mier, T. 2006. Lack of acute pathogenicity and toxicity in mice of an isolate of *Metarhizium anisopliae* var. *anisopliae* from spittebugs. *Ecotoxicology and Environmental Safety* 65 (2): 278-287.
- Veen, K.H. 1996. Oral infection of secondary-instar nymphs of schistocerca gregaria by *Metarhizium anisopliae*. *Journal of Invertebrate Pathology* 8 (5): 254-256.
- Watson, D.W., Geden, C.J. and Rutz, D.A. 1995. Efficacy of *Beauveria bassiana* for controlling the house fly and stable fly (Diptera: Muscidae). *Biological Control* 5 (3): 405-411.
- _____, Rutz, D.A. and Long, S.J. 1996. *Beauveria bassiana* and sawdust bedding for the management of the house fly, *Musca domestica* (Diptera: Muscidae) in Calf Hutches. *Biological Control* 7 (2): 221-22.
- Wells, J.D. 1991. *Chrysomya megacephala* (Diptera: Calliphoridae) has reached the continental United States: Review of its biology, pest status, and spread around the world. *Journal Medical Entomology* 28 (3): 471-473.

- WHO. 1986. Vector Control Series. The House Fly. Training and Information Guided, Geneva, Switzerland. 87 p.
- Wright, C., Brooks, A. and Wall, R. 2004. Toxicity of the entomopathogenic fungus, *Metarhizium anisopliae* (Deuteromycotina: Hyphomycetes) to adult females of the blow fly *Lucilia sericata* (Diptera: Calliphoridae). Pest Management Science 60 (7): 639-644.
- Xia, H.G. Li and Ma, X. 2010. Laboratory study on azadirachtin to protect salted sundried fish from *Chrysomya megacephala* infestation. Journal of Food Processing and Preservation 34 (1): 35-54.
- Yendol, W. G. and Paschke, J.D. 1965. Pathology of an entomophthora infection in the eastern subterranean termite, *Reticulitermis flavipes* (Pollar). Journal of Invertebrate Pathology 7 (4): 414-422.
- Zichen, Z. , Kequn, X., Xingzhi, L., Guilan, Z. and Yiliang, S.Q.X. 1987. Test of acute toxicity of *Beauveria bassiana* conidia to mammalian animals. Chinese Journal 3: 10-12.
- Zumpt, F. 1965. Myiasis in Man and Animals in the Old World. Butterworths, London. 382 p.